Lot 1, Parts 1, 2, 3 and 4, Ualapue Lots, Molokai.

Copy furnished Land Office, July 26, 1920

> See Folder 131 File in Carton 53.

## Territory of Hawaii,

Office of the Covernment Survey.

Konolulu, T. H., July 15, 1920

Lot 1, Ualapue Lots, Island of Molokai.

Part 1, Kula. Beginning at the South corner of this lot at the Northeast corner of Government Road and a 6 foot lane, the approximate coordinates of said point of beginning referred to Government Survey Trig. Station "Manawai" being 3055.0 feet North and 2345.0 feet East, as shown on Government Survey Registered Map No. 1773, and running by true azimuths:-

- 1. 167° 15' 267.8 feet along 6 foot lane;
- 2. 158° 20' 104.3 feet along L.C.A.4170 Apana 1, to Kaupe;
- 3. 171° 00' 305.0 feet along Lot 2;
- 4. 259° 40' 200.0 feet along government land;
- 5. 353° 20' 379.1 feet along stonewall;
- 6. 68° 40' 82.5 feet along L.C.A.3791 to Oopa;
- 7. 348° 19' 132.0 feet along same;
- 8. 257° 54' 80.5 feet along same;
- 9. 351° 25' 152.2 feet along stonewall;
- 10. 80° 00° 148.9 feet along Government Road to the point of beginning.

AREA 2-48/100 ACRES.

Excepting and reserving therefrom a right-of-way over and across this lot at all times and for all vehicles to and from L.C.A.3791 to Oopa, which is shown on plan hereto attached and made a part hereof.

Will

(over)

Part 2. Taro. Beginning at the West corner of this lot and the North corner of L.C.A.3678 Apana 2, to Muolo, the approximate coordinates of said point of beginning referred to Government Survey Trig. Station "Manawai" being 2582.0 feet North and 2515.0 feet East, as shown on Government Survey Registered Map No.1773, and running by true azimuths:-

- 1. 231° 09' 54.8 feet along L.C.A.4192 to Kaheaku;
- 2. 310° 00' 17.8 feet along L.C.A.3678 Apana 1, to Muolo:
- 3. 239° 00' 29.0 feet along same;
- 4. 327° 00' 29.7 feet along same;
- 5. 55° 30' 21.8 feet along same;
- 6. 328° 00' 48.2 feet along same;
- 7. 64° 00' 64.9 feet along L.C.A.3792 Apana 2, to Kawelo;
- 8. 128° 00' 17.8 feet along L.C.A.3678 Apana 2, to Muolo:
- 9. 147° 00' 23.8 feet along same;
- 10. 210° 00' 7.9 feet along same;
- 11. 142° 30' 38.9 feet along same to the point of beginning.

  AREA 15/100 ACRE.

Part 3. Taro. Beginning at the South corner of this lot, the approximate coordinates of said point of beginning referred to Government Survey Trig. Station "Manawai" being 2400.0 feet North and 2586.0 feet East, as shown on Government Survey Registered Map No. 1773, and running by true azimuths:-

WEN

- 1. 158° 30' 85.8 feet along L.C.A.3792 Apana 2, to Kawelo;
- 2. 239° 00' 23.8 feet along same;
- 3. 334° 00' 70.6 feet along same:
- 4. 342° 52' 24.4 feet along L.C.A.4196 Apana 3, to Keanui;
- 5. 79° 00' 27.7 feet along same to the point of beginning.

AREA 06/100 ACRE.

Part 4. Taro. Beginning at the East corner of this lot, the approximate coordinates of said point of beginning referred to Government Survey Trig. Station "Manawai" being 2440.0 feet North and 2702.0 feet East, as shown on Government Survey Registered Map No.1773, and running by true azimuths:-

- 1. 64° 00° 18.5 feet along L.C.A.4196 Apana 3, to Keanui;
- 2. 158° 30' 36.6 feet along same;
- 3. 168° 00' 11.5 feet along L.C.A.3792 Apana 2, to Kawelo;
- 4. 244° 00' 21.1 feet along same;
- 5. 343° 56' 48.4 feet along Kaluaaha to the point of beginning.

AREA 02/100 ACRE.

Compiled from Gov't. Survey Reg.Map No.1773, by

Assistant Government Surveyor.

MIN